

Schedule of Items and Priced Quotation (Form e-SG-1)

Sl. No	Particulars	Unit	DETAILED SPECIFICATION	
				DRC ENTERPRISE
1	4inch GI pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	1282
2	31or2inch GI Pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	25
3	3inch GI pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	899
4	2inch GI pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	571
5	13or4inch GI pipe Heavy durty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	25
6	1 1or2inch GI pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	410
7	11or4inch GI Pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	359
8	1inch GI pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	259

9	3or4inch GI pipe Heavy duty.	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	187
10	1or2inch GI pipe Heavy duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	153
11	4inch GI pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	1089
12	31or2inch GI Pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	25
13	3inch GI pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	759
14	2inch GI pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	460
15	13or4 GI Pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	25
16	1 1or2inch GI pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	349.85
17	11or4inch GI Pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	298.69

18	1inch GI pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	232
19	3or4inch GI Pipe Medium duty.	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	168
20	1or2inch GI pipe Medium duty	mtr	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased. Socket IS 1239or92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. Tolerance plus15cm & to0cm.	138
21	110 mmx4 inch Flange set	each	IS 4984or87	604
22	4inchx4inch Flange Set	each	IS 4984or87	604
23	90 mm x 3inch Flange set	each	IS 4984or87	850
24	3inchx3inch Flange Set	each	IS 4984or87	439
25	63 mm x 2 inch Flange set	each	IS 4984or87	680
26	50mmx2inch Flange set	each	IS 4984or87	595
27	50 mm x 1 1or2 inch Flange set	each	IS 4984or87	660
28	GI threaded single Flange 2inch	each	GI threaded single Flange 2inch	275
29	Nuts & Bolts 16mmx4inch	each	IS 4984or87	39
30	Brass Union 63 mm x 2inch	each	SPto57to1991	450
31	Brass Union 50 mm x 1 1or2inch	each	SPto57to1991	350
32	Brass Union 32 mm x 1inch	each	SPto57to1991	375
33	Brass Union 20 mm x 1or2inch	each	SPto57to1991	250
35	4inch GI Bend 90 Deg	each	IS 18791991	796
36	3inch GI Bend 90 Deg	each	IS 18791991	450
37	2inch GI Bend 90 Deg	each	IS 18791991	210
38	13or4inch GI Bend 90 Deg	each	IS 18791991	45
39	11or2inch GI Bend 90 Deg	each	IS 18791991	141
40	1inch GI Bend 90 Deg	each	IS 18791991	65
41	4inch GI Bend 45 Deg	each	IS 18791991	807
42	3inch GI Bend 45 Deg	each	IS 18791991	480
43	2inch GI Bend 45 Deg	each	IS 18791991	225
44	13or4inch GI Bend 45 Deg	each	IS 18791991	45
45	11or2inch GI Bend 45 Deg	each	IS 18791991	115
46	1inch GI Bend 45 Deg	each	IS 18791992	40
47	4 inch GI Bend 30 Deg	each	IS 18791987	812
48	3inch GI Bend 30 Deg	each	IS 18791988	480
49	2inch GI Bend 30 Deg	each	IS 18791989	225
50	1inch GI Bend 30 Deg	each	IS 18791990	65
51	11or2inchGI Bend 30 Deg	each	IS 18791993	135
52	4 inch GI Elbow	each	IS 18791987	670
53	3 inch GI Elbow	each	IS 18791987	399
54	2 inch GI Elbow	each	IS 18791987	150
55	13or4inch GI Elbow	each	IS 18791987	70
56	1 1or2 inch GI Elbow	each	IS 18791987	95
57	1 1or4inch GI Elbow	each	IS 18791988	72
58	1inch GI Elbow	each	IS 18791987	47
59	3or4 inch GI Elbow	each	IS 18791987	30
60	1or2 inch GI Elbow	each	IS 18791987	18
62	4 inch GI Nipple	each	Length is 20cm Tolerance plus0 cm to2 cm IS 18791987	235
63	3 inch GI Nipple	each	Length is 20 cm Tolerance plus0 cm to2 cm IS 18791987	165

64	2 inch GI Nipple	each	Length is 20cm Tolerance plus0 cm to2 cm IS 18791987	65.55
65	13or4inch GI Nipple	each	Length is 20 cm Tolerance plus0 cm to2 cm IS 18791987	70
66	1 1or2 inch GI Nipple	each	Length is 20 cm Tolerance plus0 cm to2 cm IS 18791987	77
67	1 1or4 inch GI Nipple	each	Length is 20 cm Tolerance plus0 cm to2 cm IS 18791987	70
68	1inch GI Nipple	each	Length is 20 cm Tolerance plus0 cm to2 cm IS 18791987	40
69	3or4inch GI Nipple	each	Length is 20 cm Tolerance plus0 cm to2 cm IS 18791987	18.4
70	1or2 inch GI Nipple	each	Length is 20 cm Tolerance plus0 cm to2 cm IS 18791987	13.8
71	2inch GI Nipple	each	Length is 10 cm Tolerance plus0 cm to2 cm IS 18791987	85
72	13or4 GI Nipple	each	Length is 10 cm Tolerance plus0 cm to2 cm IS 18791987	48
73	11or2 GI Nipple	each	Length is 10 cm Tolerance plus0 cm to2 cm IS 18791987	44
74	1inch GI Nipple	each	Length is 10 cm Tolerance plus0 cm to2 cm IS 18791987	25
75	3or4inch GI Nipple	each	Length is 10 cm Tolerance plus0 cm to2 cm IS 18791987	25
76	1or2inch GI Nipple	each	Length is 10 cm Tolerance plus0 cm to2 cm IS 18791987	20
77	2inch GI Nipple	each	Length is 15 cm Tolerance plus0 cm to2 cm IS 18791987	75
78	13or4 GI Nipple	each	Length is 15 cm Tolerance plus0 cm to2 cm IS 18791987	48
79	11or2 GI Nipple	each	Length is 15 cm Tolerance plus0 cm to2 cm IS 18791987	65
80	1inch GI Nipple	each	Length is 15 cm Tolerance plus0 cm to2 cm IS 18791987	35
81	3or4inch GI Nipple	each	Length is 15 cm Tolerance plus0 cm to2 cm IS 18791987	30
82	1or2inch GI Nipple	each	Length is 15 cm Tolerance plus0 cm to2 cm IS 18791987	25
84	1inch Tank Nipple	each	IS 18791987	45
85	3or4inch Tank Nipple	each	IS 18791987	30
86	1or2inch Tank Nipple	each	IS 18791987	24
87	4inch x 3inch GI Reducers	each	IS 18791987	450
88	4inch x 2inch GI Reducers	each	IS 18791987	450
89	3inch x 2inch GI Reducers	each	IS 18791987	303
90	3inchx13or4inch GI Reducer	each	IS 18791987	60
91	3inchx11or2inch GI Reducer	each	IS 18791987	303
92	3inchx1inch GI Reducer	each	IS 18791987	303
93	2inchx13or4inch GI Reducer	each	IS 18791987	115
94	2inch x 1 1or2inchGI Reducer	each	IS 18791987	115
95	2inch x 1inch GI Reducers	each	IS 18971987	115
96	2inchx3or4 GI Reducer	each	IS 18791987	115
97	2inchx1or2 GI Reducer	each	IS 18791987	115
98	13or4inchx11or2 GI Reducer	each	IS 18791987	75
99	1 1or2inch x 1inch GI Reducers	each	IS 18791987	73.6
100	1 1or2inch x 1or2inch GI Reducers	each	IS 18791987	73.6
101	1inch x 3or4inch GI Reducers	each	IS 18791987	39
102	1inch x 1or2inch GI Reducers	each	IS 18791987	39
103	3or4inch x 1or2inch GI Reducers	each	IS 18791987	30
104	13or4inchx1inch GI Reducers	each	IS 18791987	58
105	13or4inchx3or4inchGI Reducer	each	IS 18791987	58
106	13or4inchx1or2inch GI Reducer	each	IS 18791987	58
107	11or2inchx1inch GI Reducer	each	IS 18791987	72
108	11or2inchx3or4inchGI Reducer	each	IS 18791987	72
109	11or2inchx1or2inchGI Reducer	each	IS 18791987	72
110	1inchx3or4inch GI Reducer	each	IS 18791987	40

111	1inchx1or2 GI Reducer	each	IS 18791987	40
112	3or4inchx1or2inchGI Reducers	each	IS 18791987	30
113	4 inch GI Sockets	each	IS 18791987	415
114	3 inch GI Sockets	each	IS 18791987	290
115	2 inch GI Sockets	each	IS 18791987	110
116	13or4inch GI Socket	each	IS 18791987	55
117	1 1or2 inch GI Sockets	each	IS 18791987	65
118	1 1or4inch GI Sockets	each	IS 18791987	53
119	1 inch GI Sockets	each	IS 18791987	30
120	3or4inch GI Sockets	each	IS 18791987	28
121	1or2 inch GI Sockets	each	IS 18791987	18.2
122	4 inch GI Teeinchs equal	each	IS 18791987	500
123	3 inch GI Teeinchs equal	each	IS 18791987	320
124	2 inch GI Teeinchs equal	each	IS 18791987	189
125	13or4inch GI Teesinchs equal	each	IS 18791987	95
126	11or2 inch GI Teeinchs equal	each	IS 18791987	110
127	1 inch GI Teeinchs equal	each	IS 18791987	66.4
128	3or4inch GI Teeinchs equal	each	IS 18791987	48
129	1or2 inch GI Teeinchs equal	each	IS 18791987	30
130	4inch x 4inch x 3inch GI Teeinchs unequal.	each	IS 18791987	852
131	4inch x 4inch x 2inch GI Teeinchs unequal.	each	IS 18791987	620
132	4inchx4inchx1inch GI Tee unequal	each	IS 18791987	620
133	4 inch x 4 inch x 3or4 inch GI Teeinchs unequal	each	IS 18791987	620
134	4 inch x 4 inch x 1or2 inch GI Teeinchs unequal	each	IS 18791987	620
135	3inchx3inchx2inch GI Tee unequal	each	IS 18791988	400
136	3inchx3inchx13or4inch GI Tee unequal	each	IS 18791989	400
137	3inchx3inchx1inch GI Tee unequal	each	IS 18791990	400
138	3 inch x 3 inch x 3or4 inch GI Teeinchs unequal	each	IS 18791987	400
139	3 inch x 3 inch x 1or2 inch GI Teeinchs unequal	each	IS 18791987	400
140	2inch x 2 inch x 13or4 inch GI Teeinchs unequal	each	IS 18791988	190
141	2inch x 2 inch x 11or2 inch GI Teeinchs unequal	each	IS 18791989	190
142	2 inch x 2 inch x 1inch GI Teeinchs unequal	each	IS 18791987	190
143	2 inch x 2 inch x 3or4 inch GI Teeinchs unequal	each	IS 18791987	210
144	2 inch x 2 inch x 1or2 inch GI Teeinchs unequal	each	IS 18791987	190
145	13or4inchx13or4inchx11or2 GI Teeinchs unequal	each	13or4inchx13or4inchx11or2 GI Teeinchs unequal	125
146	13or4inchx13or4inchx1inch GI Teeinchs unequal	each	13or4inchx13or4inchx1inch GI Teeinchs unequal	95
147	13or4inchx13or4inchx 3or4inch GI Teeinchs unequal	each	13or4inchx13or4inchx 3or4inch GI Teeinchs unequal	95
148	13or4inchx13or4inchx1or2 GI Teeinchs unequal	each	13or4inchx13or4inchx 3or4inch GI Teeinchs unequal	95
149	1 1or2 inch x 1 1or2 inch x 3or4 inch GI Teeinchs unequal	each	IS 18791987	124
150	1 1or2 inch x 1 1or2 inch x 1or2 inch GI Teeinchs unequal	each	IS 18791987	124
151	1 inch x 1 inch x 3or4 inch GI Teeinchs unequal	each	IS 18791987	70
152	1 inch x 1 inch x 1or2 inch GI Teeinchs unequal	each	IS 18791987	70
153	3or4 inch x 3or4 inch x 1or2 inch GI Teeinchs unequal	each	IS 18791987	48
154	4 inch GI Unions	each	IS 18791987	780

155	3 inch GI Unions	each	IS 18791987	610
156	2 inch GI Unions	each	IS 18791987	210
157	1 1or2 inch GI Unions	each	IS 18791987	170
158	1 1or4 inch GI Unions	each	IS 18791987	135
159	1 inch GI Unions	each	IS 18791987	95
160	3or4 inch GI Unions	each	IS 18791987	70
161	1or2 inch GI Unions	each	IS 18791987	50
162	4inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	7999
163	3inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	3899
164	2inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	1430
165	1 3or4inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	840
166	1 1or2inch to Brass Gate Valve	each	1 1or2inch to Brass Gate Valve	1120
167	1 1or4inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	840
168	1inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	590
169	1inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	590
170	3or4inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	420
171	1or2inch to Brass Gate Valve	each	Class I 1.5 MPa IS 778to84	350
172	1inch to Brass Globe Valve	each	Class I 1.5 MPa IS 778to84	390
173	1or2inch to Brass Globe Valve	each	Class I 1.5 MPa IS 778to84	286
174	1 1or2inch to Brass Globe Valve	each	Class I 1.5 MPa IS 778to84	1170
175	1or2inch to Tapstand Regulating Valve set 20mm	each	Class I 1.5 MPa IS 778to84	380
176	Regulating valve key	each	As per PHE sample and drawing	70
177	Brass Air Release Valve 1or2inch	each	Copper or brass made. Min. wt ? plus20gms to0gm See attached PHED drawing for detail specification.	420
178	Brass tap 1or2inch	each	Copper or brass made. Min. wt ? plus20gms to0gm See attached PHED drawing for detail specification.	199
179	2inch Float Valve.	each	Copper or brass made. Min. wt ? plus20gms to0gm See attached PHED drawing for detail specification.	1680
180	1 1or2inch Float Valve	each	Copper or brass made. Min. wt ? plus20gms to0gm See attached PHED drawing for detail specification.	1400
181	1inch Float Valve	each	Copper or brass made. Min. wt ? plus20gms to0gm See attached PHED drawing for detail specification.	750
182	1or2inch Float Valve	each	Copper or brass made. Min. wt ? plus20gms to0gm See attached PHED drawing for detail specification.	375
183	GI Valve Boxto4inch	each	GI Valve Boxto4inch	1290
184	GI Valve Boxto3inch	each	GI Valve Boxto3inch	1190
185	GI Valve Boxto2 1or2inch	each	GI Valve Boxto2 1or2inch	900
186	Valve Box Keyto2inch	each	Valve Box Keyto2inch	200
187	Valve Box Keyto1 1or2inch	each	Valve Box Keyto1 1or2inch	300
188	Valve Box Keyto1inch	each	Valve Box Keyto1inch	200
189	Valve Box Keyto1or2inch	each	Valve Box Keyto1or2inch	250
190	Bull Dog Gripto8mm	each	Bull Dog Gripto8mm	29
191	Bull Dog Gripto10mm	each	Bull Dog Gripto10mm	40
192	Bull Dog Gripto13mm	each	Bull Dog Gripto13mm	50
193	Bull Dog Gripto16mm	each	Bull Dog Gripto16mm	92
194	Bull Dog Gripto20mm	each	Bull Dog Gripto20mm	90
195	Bull Dog Gripto26mm	each	Bull Dog Gripto26mm	136
196	Bull Dog Gripto32mm	each	Bull Dog Gripto32mm	210
197	Bull Dog Gripto36mm	each	Bull Dog Gripto36mm	230
198	Bull Dog Gripto40mm	each	Bull Dog Gripto40mm	240
199	Cable wire rope 13mm	Mtr	Cable wire rope 13mm	147
200	Pipe joining compound in 1or2 kg pot	can	Graphite pipetojoining compound for drinking water purpose. Retosealable pots.	103
201	Grease	can	hemp	161
202	Hemp	can	IS 5081987 Wheel bearing grease resealable pots	440
203	Nails 1inch	kg	Galvanised wire nails sharpened	68
204	Nails 3inch	kg	Galvanised wire nails sharpened	68
205	Nails 2inch	kg	Galvanised wire nails sharpened	68
206	Nail 1.5inch	kg	Galvanised wire nails sharpened	68

207	Nails to U	kg	8 SWG H=35 mm W=10 mm Sharpened	83
208	Nails 4inch	kg	Galvanised wire nails sharpened	68
209	Prefab manhole cover & slab	set	As per PHE drawing & specification	1375
210	Perforated GI plate	set	As per PHE drawing & specification	1649
211	Rebar 6mm	kg	TATA steel bars IS 1786or1985 Grade FE415 TOR	62
212	Rebar 8mm	kg	TATA steel bars IS 1786or1985 Grade FE415 TOR	62
213	Rebar 10mm	kg	TATA steel bars IS 1786or1985 Grade FE415 TOR	62
214	Rebar 12mm	kg	TATA steel bars IS 1786or1985 Grade FE415 TOR	62
215	M.S. Plain rod 6mm	kg	TATA steel bars IS 1786or1985 Grade FE415 Plain	68
216	Hessian jute	mtr	7.5 oz width 90cm In roll of 30 meter.	43
217	Plastic sheet thin	mtr	Thickness 0.0625 mm Width 90 cm double sheet. In roll of 30 meter.	23
218	Plastic sheet for spring protection	mtr	Thickness 0.125 mm Width 90 cm double sheet. In rolls of 25 meter	42
219	Thimbleto13mm	Pcs	Thimbleto13mm	9
220	Barbed wire	kg	Gauge 12 SWG double wired double barbed 90 degrees angle every 10 cm galvanized IS 278or1969. In roll of 30 kg weight tolerance plus3 kg to0 kg	73
221	Wire GI binding	kg	Gauge 22 SWG. In roll of 1kg	75
222	Wire Meshto2mm	mtr	Wire Meshto2mm	144
223	Wire mesh chicken	mtr	23 SWG hexagonal 15 mm 11or2inch full twist double string at side width 1 metre. in rolls of 25 m	40
224	Wire Plain 8 Gauge 3.50mm	kg	8 SWG with light galvanized coating. In rolls of 40 kg weight tolerance of plus3 kg to0 kg.	83
225	Wire Black Binding	kg	gauge 8SWG with light galvanised coating. In rolls of 40kg wt tolerance of plus3kg to0kg.	75
226	Blade hacksaw single side	each	IS 25941976	5
227	Brush Paint 4inch	each	Brush Paint 4inch	55
228	Brush Paint 2inch	each	Brush Paint 2inch	25
229	GI End Cap to2inch	each	GI End Cap to2inch	20
230	GI Hexagonal Nipples 2inch	each	GI Hexagonal Nipples 2inch	70
231	GI Hexagonal Nipples 1or2inch	each	GI Hexagonal Nipples 1or2inch	26
232	Quire Rope	Bdle	Quire Rope	274
233	Nylone Rope 13mm dia. 15mm long	KG	Nylone Rope 13mm dia. 15mm long	149
234	Bombay Putty with Hardner Car patch	kgs	Bombay Putty with Hardner Car patch	594
235	Rivet	kgs	Rivet	250
236	Gutter End Cap	Pcs	Gutter End Cap	103
237	M.S Rafter Bracket 3to4mm thick	Pcs	M.S Rafter Bracket 3to4mm thick	129
238	Receiver Cone	Pcs	Receiver Cone	436
239	PVC Clamp 63mm & down	Pcs	PVC Clamp 63mm & down	45
240	Joint Angle Gutter 90 deg.	Pcs	Joint Angle Gutter 90 deg.	128
241	Brass Bip Cock 15mm	Pcs	Brass Bip Cock 15mm	210
242	Brass Bip Cock 20mm	Pcs	Brass Bip Cock 20mm	310
244	Brass Bipcock 50mm	Pcs	50mm	25
245	Brass Bipcock 40 mm	Pcs	40 mm	25
246	Brass Bipcock 32 mm	Pcs	32 mm	25
247	Brass Bipcock 25mm	Pcs	25mm	25
248	Brass Bip Cock 20 mm	Pcs	20 mm	25
249	Brass Bip Cock 15 mm	Pcs	15 mm	25
251	Table Vice 1inch	each	LudraorToperia	1320
252	Table Vice 2inch	each	LudraorToperia	1808
253	Table Vice 3inch	each	LudraorToperia	2740
254	Table Vice 4inch	each	LudraorToperia	3490
255	Pipe chain vice 1inch	each	LudraorToperia	1250
256	Pipe chain vice 2inch	each	LudraorToperia	539
257	Pipe chain vice 3inch	each	LudraorToperia	799
258	Pipe chain vice 4inch	each	LudraorToperia	1079
259	Wrench pipe 8 inch	each	LudraorToperia	184
260	Wrench pipe 10inch	each	LudraorToperia	254
261	Wrench pipe 12inch	each	LudraorToperia	309
262	Wrench pipe 14inch	each	LudraorToperia	397
263	Wrench pipe 18inch	each	LudraorToperia	569
264	Wrench pipe 24inch	each	LudraorToperia	899
265	Wrench pipe 36inch	each	LudraorToperia	2049

266	Wrench pipe 48inch	each	LudraorToperia	2649
267	Chain Vice 8inch	Each	LudraorToperia	2799
268	Die set 2inch to 3inch	set	LudraorToperia	5299
269	Ratchet Die set 1 1or4inch to 2inch	set	LudraorToperia	2999
270	Ratchet Die set 1or2inch to 1inch	set	LudraorToperia	2649
271	Die bit 2inch	pair	LudraorToperia	265
272	Die bit 1 1or2inch	pair	LudraorToperia	265
273	Die bit 1inch	pair	LudraorToperia	149
274	Die bit 1or2inch	pair	LudraorToperia	149
275	Die bit 3inch	pair	LudraorToperia	750
276	Hacksaw frame	each	Adjustable for 10inch or 12inch blades	119
277	Teflon cover.	each	For 125 mm heating plate	216
278	Heating plate	each	LudraorToperia	960
279	Cutting plair	each	LudraorToiaria	215
280	Ratchet Spanner Set	each	LudraorToiaria	2250
281	Spanner Set	each	LudraorToiaria	790
282	Mason hammer 1Kg	each	Mason hammer 1Kg	239
284	3inch GI pipe150cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1120
285	2inch GI pipe150cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	630
286	150inch GI pipe150cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	510
287	1inch GI pipe150cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	240
288	50inch GI pipe150cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	240
289	4inch GI pipe150cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1540
290	4inch GI pipe15cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	165
291	3inch GI pipe15cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	120
292	2inch GI pipe15cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	70
293	15inch GI pipe15cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	72

294	1inch GI pipe15cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	35
295	1or2inch GI pipe15cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	23
296	4inch GI pipe70cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	715
297	3inch GI pipe70cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	543
298	2inch GI pipe70cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	385
299	15inch GI pipe70cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	130
300	1inch GI pipe70cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	180
301	1or2inch GI pipe70cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	115
302	4inch GI pipe35cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	335
303	3inch GI pipe35cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	317
304	2inch GI pipe35cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	220
305	1.5inch GI pipe35cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	142
306	1inch GI pipe35cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	100
307	1or2inch GI pipe35cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	55

308	4inch GI pipe50cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	570
309	3inch GI pipe50cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	440
310	2inch GI pipe50cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	285
311	1.50inch GI pipe50cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	200
312	1inch GI pipe50cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	140
313	1or2inch GI pipe50cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	82
314	4inch GI pipe45cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	510
315	3inch GI pipe45cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	355
316	2inch GI pipe45cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	230
317	1.50inch GI pipe45cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	180
318	1inch GI pipe45cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	127
319	1or2inch GI pipe45cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	75
320	4inch GI pipe130cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1320
321	3inch GI pipe130cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1095

322	2inch GI pipe130cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	620
323	1.50inch GI pipe130cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	490
324	1inch GI pipe130cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	340
325	1or2inch GI pipe130cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	185
326	4inch GI pipe90cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	920
327	3inch GI pipe90cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	640
328	2inch GI pipe90cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	460
329	1.50inch GI pipe90cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	355
330	1inch GI pipe90cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	240
331	1or2inch GI pipe 90cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	150
332	4inch GI pipe80cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	815
333	3inch GI pipe80cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	608
334	2inch GI pipe80cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	410
335	1.5inch GI pipe80cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	285

336	1inch GI pipe80cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	225
337	1or5inch GI pipe80cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	125
338	4inch GI pipe160cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1600
339	3inch GI pipe160cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1157
340	2inch GI pipe160cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	825
341	1.5inch GI pipe160cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	575
342	1inch GI pipe160cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	400
343	1or2inch GI pipe160cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	245
344	4inch GI pipe180cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1850
345	3inch GI pipe180cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1310
346	2inch GI pipe180cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	927
347	1.5inch GI pipe180cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	675
348	1inch GI pipe180cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	460
349	1or2inch GI pipe180cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	275

350	4inch GI pipe210cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	2145
351	3inch GI pipe210cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1535
352	2inch GI pipe210cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1075
353	1.5inch GI pipe210cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	790
354	1inch GI pipe210cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	545
355	1or2inch GI pipe210cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	330
356	4inch GI pipe40cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	120
357	3inch GI pipe40cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	115
358	2inch GI pipe40cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	204
359	1.5inch GI pipe40cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	155
360	1inch GI pipe40cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	110
361	1or2inch GI pipe40cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	65
362	4inch GI pipe65cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	675
363	3inch GI pipe65cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	500

364	2inch GI pipe65cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	330
365	1.5inch GI pipe65cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	256
366	1inch GI pipe65cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	170
367	1or2inch GI pipe65cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	105
368	4inch GI pipe20cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	225
369	3inch GI pipe20cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	160
370	2inch GI pipe20cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	98
371	1.5inch GI pipe20cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	80
372	1inch GI pipe20cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	55
373	1or2inch GI pipe20cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	33
374	4inch GI pipe25cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	280
375	3inch GI pipe25cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	200
376	2inch GI pipe25cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	120
377	1.5inch GI pipe25cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	98

378	1inch GI pipe25cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	68
379	1or2inch GI pipe25cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	40
380	4inch GI pipe100cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1020
381	3inch GI pipe100cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	748
382	2inch GI pipe100cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	510
383	1.5inch GI pipe100cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	375
384	1inch GI pipe100cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	279
385	1or2inch GI pipe100cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	169
386	4inch GI pipe75cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	800
387	3inch GI pipe75cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	555
388	2inch GI pipe75cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	385
389	1.5inch GI pipe75cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	298
390	1inch GI pipe75cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	210
391	1or2inch GI pipe75cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	125

392	4inch GI pipe170cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1735
393	3inch GI pipe170cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1230
394	2inch GI pipe170cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	869
395	1.5inch GI pipe170cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	675
396	1inch GI pipe170cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	475
397	1or2inch GI pipe170cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	285
398	4inch GI pipe280cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	2720
399	3inch GI pipe280cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1935
400	2inch GI pipe280cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1435
401	1.5inch GI pipe280cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1100
402	1inch GI pipe280cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	760
403	1or2inch GI pipe280cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	440
404	4inch GI pipe190cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1885
405	3inch GI pipe190cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1340

406	2inch GI pipe190cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	800
407	1.5inch GI pipe190cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	750
408	1inch GI pipe190cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	520
409	1or2inch GI pipe190cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	310
410	4inch GI pipe200cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1995
411	3inch GI pipe200cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1310
412	2inch GI pipe200cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1020
413	1.5inch GI pipe200cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	799
414	1inch GI pipe200cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	560
415	1or2inch GI pipe200cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	320
416	4inch GI pipe175cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1885
417	3inch GI pipe175cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1250
418	2inch GI pipe175cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	903
419	1.5inch GI pipe175cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	700

420	1inch GI pipe175cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	490
421	1or2inch GI pipe175cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	290
422	4inch GI pipe145cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1470
423	3inch GI pipe145cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1060
424	2inch GI pipe145cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	740
425	1.5inch GI pipe145cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	578
426	1inch GI pipe145cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	400
427	1or2inch GI pipe145cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	245
428	4inch GI pipe120cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1485
429	3inch GI pipe120cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	796
430	2inch GI pipe120cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	615
431	1.5inch GI pipe120cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	478
432	1inch GI pipe120cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	330
433	1or2inch GI pipe120cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	200

434	4inch GI pipe22.5cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	250
435	3inch GI pipe22.5cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	183
436	2inch GI pipe22.5cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	112
437	1.5inch GI pipe22.5cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	87
438	1inch GI pipe22.5cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	60
439	1or2inch GI pipe22.5cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	33
440	4inch GI pipe195cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1995
441	3inch GI pipe195cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1395
442	2inch GI pipe195cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	995
443	1.5inch GI pipe195cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	800
444	1inch GI pipe195cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	545
445	1or2inch GI pipe195cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	320
446	4inch GI pipe110cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1150
447	3inch GI pipe110cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	800

448	2inch GI pipe110cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	555
449	1.5inch GI pipe110cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	435
450	1inch GI pipe110cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	310
451	1or2inch GI pipe110cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	180
452	4inch GI pipe125cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1330
453	3inch GI pipe125cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	915
454	2inch GI pipe125cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	435
455	1.5inch GI pipe125cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	495
456	1inch GI pipe125cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	350
457	1or2inch GI pipe125cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	210
458	4inch GI pipe140cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1475
459	3inch GI pipe140cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	999
460	2inch GI pipe140cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	720
461	1.5inch GI pipe140cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	600

462	1inch GI pipe140cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	397
463	1or2inch GI pipe140cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	235
464	4inch GI pipe295cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	3100
465	3inch GI pipe295cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	2340
466	2inch GI pipe295cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1500
467	1.5inch GI pipe295cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1180
468	1inch GI pipe295cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	800
469	1or2inch GI pipe295cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	495
470	4inch GI pipe30cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	385
471	3inch GI pipe30cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	240
472	2inch GI pipe30cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	153
473	1.5inch GI pipe30cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	117
474	1inch GI pipe30cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	80
475	1or2inch GI pipe30cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	47

476	4inch GI pipe250cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	2780
477	3inch GI pipe250cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1740
478	2inch GI pipe 250cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1285
479	1.5inch GI pipe 250cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	990
480	1inch GI pipe 250cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	690
481	1or2inch GI pipe 250cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	400
482	4inch GI pipe63cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	660
483	3inch GI pipe63cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	490
484	2inch GI pipe 63cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	320
485	1.5inch GI pipe 63cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	245
486	1inch GI pipe 63cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	178
487	1or2inch GI pipe 63cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	103
488	4inch GI pipe165cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1446
489	3inch GI pipe165cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	1172

490	2inch GI pipe 165cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	847
491	1.5inch GI pipe 165cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	659
492	1inch GI pipe 165cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	465
493	1or2inch GI pipe 165cm long	Pcs	IS 1239or90 longitudinally welded mild steel hot dipped galvanised as per IS 4736or68 both ends male threads BS 21 and greased.Tolerance plus15cm & to0cm.Medium duty	275