

Sl.No	Description of Item (2)	units	B.D Commercial	LAMLA SALES AND SERVICES	Himalayan Infotech	KB ENTERPRISE	GYELYONG ENTERPRISE	CHORTEN SALES AND SERVICE	THARLAM INFOTECH AND SOLUTION	M/s NGN Technologies Private Limited
1	Desktop High End: Processor: Intel® Core™ i7-9700 (8 Cores/12MB/8T/3.0GHz to 4.7GHz/65W) Operating System: Windows 10 or latest with product key Memory: 16GB 1x16GB 2666MHz DDR4 Memory Hard Drive: 1 TB Solid State Drive Graphics Card: AMD Radeon® RX 550, 4GB, FH (DP/mDP/mDP) Optical Drive: 8x DVD+/-RW 9.5mm Optical Disk Drive	set	79890	72340	49900	86000	78500	0	56850	101057
2	Desktop Mid End: Processor: 9th Gen Intel® Core™ i5-9400 (6-Core, 9MB Cache, up to 4.1GHz with Intel® Turbo Boost Technology) Operating System: Windows 10 Professional or latest with product key Graphics Card: Intel® UHD Graphics 630 with shared graphics memory Memory: 8GB 1x8GB DDR4 2666MHz Hard drive: 3.5 inches 1TB 7200RPM SATA Hard Drive Front IO ports: 2 USB 3.0, 1 Universal Audio Jack, 1 5:1 MCR Rear IO ports: 4 USB 2.0, 1 Gigabit Ethernet, 1 HDMI, 1 VGA 1 3-stack audio jacks supporting 5.1 surround sound Optical Drive: Tray load DVD Drive (Reads and Writes to DVD/CD) Slots: 1 SD card reader, 1 Security Cable Slot Dimension & weight: Height: 290mm (11.42 inches) x Width: 92.6mm (3.65 inches) x Depth: 293mm (11.54 inches) Stating at Weight: 4.81kg (10.60lbs)i	set	43490	39730	42550	52000	46800	69499	41850	64607

	<p>Laptop Mid End: Graphics:13.5 inches QHD touchscreen (2256 x 1504) Performance:Intel i5 with 8 GB of RAM Storage:1TB SSD Battery life:Up to 14.5 hours OS:Preinstalled Genuine Windows 10 or latest with product key Thickness / Weight :0.57? / 2.83 lbs Processor:10th Generation Intel® Core™ i5-10310U (4 Core, 6M cache, base 1.6GHz, up to 4.4GHz, vPro) Operating System:Windows 10 Pro or latest with product key Graphics Card:Intel® UHD Graphics 620 with Displayport over Type-C for Intel 10th Gen Core i5-10310U Systems Management:Intel vPro Active Management Technology (for vPro CPU, vPro Capable) Memory:16GB, 1x16GB, DDR4 Non-ECC Hard Drive: 1TB Solid State Drive Display:14.0inches FHD (1920 x 1080) 220 Nit Anti-Glare Non-Touch, IR cam and Mic, WLAN WWAN Capable Wireless:Intel Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1 Primary Battery:4 Cell 68Whr ExpressCharge™; Capable Battery Power Supply:65W AC Adapter, 7.4mm Barrel, EPEAT</p>									
3	Rucksack laptop bag	set	68490	67340	42100	86000	55800	0	68500	100469
	<p>Laptop High End : CPU: 1.3GHz Intel Core i7-1065G7 (quad-core, 8MB Intel Smart Cache, up to 3.9GHz with Turbo Boost) Graphics: Intel Iris Plus (integrated) RAM: 16GB LPDDR4 (3200MHz) Screen: 13.3-inch 4K (3,840 x 2,160) AMOLED Storage: 1GB SSD (PCIe, NVMe, M.2) Ports: 1x USB-A 3.1, 2x USB-C 3.1 with Thunderbolt 3, microSD card reader, combi audio jack Connectivity: Intel Wi-Fi 6 AX 201 (2x2), Bluetooth 5 Camera: HP TrueVision HD 1080p IR Webcam Weight: 2.87 pounds (1.3 kg) Size: 12.04 x 7.66 x 0.67 inches (30.6 x 19.45 x 1.69 cm; W x D x H) Operating System: Prinstalled Genuine Windows 10 or latest with Product key</p>									
4	Rucksack laptop bag	Set	98490	87340	62300	196000	62800	125200	92500	114488
	<p>MacBook Air: 13.3-inch Retina display, Up to 4-core Intel Core i7 processor, Up to 16GB memory, Up to 2TB storage, Up to 11 hours battery life, Touch ID, Backlit Magic Keyboard</p>									
5		Set	198490	199340	168000	258000	280000	0	275000	0

6	MacBook Pro 13; 13.3-inch Retina display, Up to 4-core Intel Core i7 processor, Up to 32GB memory, Up to 4TB storage, Up to 10 hours battery life, Touch Bar and Touch ID, Backlit Magic Keyboard	Set	329490	317400	210000	296000	320000	0	315000	0
7	MacBook Pro 16 ; 16-inch Retina display, Up to 8-core Intel Core i9 processor, Up to 64GB memory, Up to 8TB storage, Up to 11 hours battery life, Touch Bar and Touch ID, Backlit Magic Keyboard	Set	549390	594700	510300	368000	0	0	0	0
8	Hard Disk drive ; 500GB HDD	No	3890	3940	4900	4299	5500	4800	3850	0
9	Hard Disk Drive ; 1 TB HDD	No	4390	5900	5900	4599	6500	6999	4500	0
10	Pendrive; 16 GB	No	369	570	0	530	0	750	420	0
11	Pendrive ; 32 GB	No	549	0	0	930	0	977	670	0
12	Laptop Memory-RAM 4 GB	No	2490	2900	0	0	0	3999	3250	0
13	Laptop Memory-RAM 8 GB	No	4690	4800	0	0	0	5950	4250	0
14	Desktop Memory -RAM 4 GB	No	2490	3400	0	0	0	3999	3250	0
15	Desktop Memory-RAM 8 GB	No	4690	0	0	0	0	5950	4250	0
16	Desktop :IDE/SATA 500 GB	No	3890	4900	4900	0	0	4800	3250	0
17	Desktop :IDE/SATA 1 TB	No	4690	5340	6900	0	0	6999	4150	0
18	Desktop :SSD 500 GB	No	6490	0	13000	0	5500	8500	7550	0
19	Desktop :SSD 1 TB	No	16490	7300	18600	0	6500	13999	11250	0
20	Laptop: SATA 500 GB	No	3890	3900	4500	4300	5500	4800	3450	0
21	Laptop: SATA 1TB	No	4390	7300	6500	6800	6500	6999	4500	0
22	Laptop : SSD 500 GB	No	6490	9400	12300	6800	0	8500	7550	0
23	Laptop : SSD 1 TB	No	16490	14700	19600	9200	18000	13999	11250	0
24	Wireless presentation laser pointer	Each	4890	3740	1200	0	5700	6950	3250	0

25	<p>Small Size LED Multimedia Projector Beamer , Commercial Led Hd 3d Projector: Display Technology:DLP, Light source :3LED, 60w, Brightness(Max):3000 lumens Life span:20,000 hours,Native Resolution:1280x800, Support 1080I/P, Contrast:100,000:1 Multimedia Interface:2*HDMI, 1*VGA, 1*CVBS, 2*USB2, 1*RJ45, 1*SD Card, 1*Video Screen Mode:16:10(Default) /4:3/16:9 /2.35: 1 Widescreen(Optional),Projection Lens: Optical Zoom 1.0 ~ 1.1 Throw Ratio:1.32-1.46, Audio in /Audio out:Yes/Yes, Built-in Media Player:Yes, Built-in Speaker X2:4watts X2 Wifi :Yes, built-in Android 4.4, Native 3D :Shutter 3D (Need real 3D signal), Video Compatibility ;480p/575i/480i/720p/1080i/1080p NTSC, PAL, SECAM,etc., Patent Optical Engine:Full Sealed & Dustproof, Light uniformity :90%, Noise:30DB Power Supply:AC 100-240V, 50-60HZ, 1.5A, Projector Power:150Watts(Max), Project Ways:Front/ Desk /Rear / Ceiling Mounted Keystone Correction: &#177;40&#176; (for proportional presentations), Language:English,Video Compatibility:480p/575i/480i/720p/1080i/1080p Working temperature: -10?-40?, Qualified by: FCC,CE,ROHS,CCC,Q/ACTN, Remote Control:YES Accessories (Standard):Carry bag ,Power Cord (by region) ,Adapter, Remote Control,User Manual, Dimension / Weight: 25*17*5.2cm / 1.32kg</p>	set	23490	44340	41200	138000	0	0	33500	0
26	<p>BATTERY-POWERED PORTABLE LED BUSINESS PROJECTOR : Battery-powered portable 1080p LED projector, instant on/off and integrated speakers, 2 HDMI inputs and a</p>	Set	28490	54340	0	0	0	0	0	0
27	<p>Wide Extended Graphics Array Projector: VERSATILE PROJECTOR: Advanced visual features ideal for use in education and small business environments BIG SCREEN PROJECTION: Projects 120 inches from 15-feet 8-inches in 3600 lumens EASY SETUP: Simple setup and control; just plug & play your presentations, videos, and pictures LONG LAMP LIFE: SuperEco Mode allows the lamp to shine bright for up to 15,000 hours INDUSTRY-LEADING WARRANTY: 3-year limited parts and labor coverage, 1-year of lamp coverage FLEXIBLE CONNECTIVITY: Supports most media players, PCs, Macs, and mobile devices with input options such as HDMI, VGA, and more. HDTV Compatibility- 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Video Compatibility-NTSC, PAL, SECAM INCLUDED IN THE BOX: PA503W WXGA Projector, Power Cable, VGA Cable, HDMI Cable and Remote Control Carry bag</p>	Set	68490	29340	0	0	0	0	0	0

28	Color Printer : HP Latest HP Color LaserJet Pro MFP M281fdw Wireless Multifunction All in One (Print, Photocopy, Scan, Fax) printer Plus a Free Printer Cable	No	32490	34740	37600	51999	0	0	68500	0
29	Cartridge for above printer for HP Latest HP Color LaserJet Pro MFP M281fdw	set	28490	8240	0	37999	0	0	4550	0
30	Printer All in One : Functions: Print, Scan, Copy, Fax, Print speed black (up to): 40 ppm, Auto 2-sided printing:Yes,Auto document feeder:	set	28490	17340	27100	37999	0	48200	72500	0
31	Cartridge for above printer	Each	1890	5400	3500	5200	0	11149	3850	0
32	<p>Printer : Print Speed:33 ppm mono (A4), Printing Method:Monochrome laser beam printing</p> <p>Print Quality:Up to 1200 x 1200 dpi, Print Resolution:600 x 600 dpi</p> <p>Warm-up Time:Approx. 28 seconds or less from power on, First Page Out Time:Approx. 7 seconds</p> <p>Duty Cycle:Max. 50,000 pages per month, Print Margins:5 mm-top, bottom, left and right, Paper Input (Standard):</p> <p>250-sheet cassette,50-sheet multi-purpose tray, Paper Input (Option):500-sheet cassette, Paper Output:150-sheet face down, 1 sheet face up</p> <p>Media Types:Plain paper, Heavy Paper, Transparency,Label, Index card, Envelope,Post card, Media Sizes: Cassette (Standard and optional)</p> <p>A4, B5, A5, A6, LGL, LTR, EXECUTIVE, 16K,Custom sizes (Width:105.0 to 215.9mm Length: 148.0 to 355.6mm)</p> <p>Multi-purpose tray:A4, B5, A5, A6, LGL, LTR, EXECUTIVE, 16K, Envelop COM-10, Monarch, DL, C5, B5(ISO), Index Card,</p> <p>Custom sizes (Width: 76.2 to 215.9mm Length: 127.0 to 355.6mm), Media</p> <p>Weights:Cassette (Standard and optional): 60 to 120 g/m&#185;</p> <p>Multi-purpose tray: 60 to 163 g/m, Double Sided Printing:Automatic (Only A4/LTR/LGL), Power Requirements:220-240V (&#177;10%) 50/60Hz (&#177;2Hz)</p> <p>Power Consumption: Maximum: Approx. 1140 W or less, Active: Approx. 560 W,Standby: Approx. 14 W,Sleep: Approx. 14 W (Panel sleep), Approx. 1 W (Deep sleep)</p> <p>Typical Electricity Consumption (TEC): 1.3kWh/week, Lot26 (http://www.canon-</p>	set	11490	17340	24000	19299	25000	0	42800	0
33	Cartridge for above printer	Each	6490	4900	0	5200	3800	0	2550	0

	Sharp Digital Heavy Duty PhotoCopier+Automatic Document Feeder - AR-6020 - Black & White Printer: Print, Copy, Scan Pages per minute: 20 B/W Paper capacity: Std 350 Max 1850 sheets Colour Scanner Standard SPLC technology for faster data transfer and enhanced throughput Optional network printing Optional 100 sheet Reversing Single Pass Feeder for better job efficiency									
34	Energy Star certified	Set	149890	67340	0	0	0	89397	0	0
35	Tonner/ cartridge for above printer	Each	7490	5400	0	0	0	4100	0	0
36	Heavy Duty Photocopier machine: bizhub C659	Set	689490	436500	0	428000	65800	179900	0	0
37	Tonner/ cartridge for printer bizhub C659	Each	17890	9400	0	9000	2888	8000	0	0
	Scanner: Fastest scan speeds in its class1 — up to 25 ppm/50 ipm2; Single-Step Technology captures both sides in one pass Versatile scanning — scan 2-sided documents, receipts, business cards, plastic IDs and more Convenient portability — use AC power, or if there’s no outlet, USB power4 from your computer Quick batch scanning for stacks of paper — 20-page Auto Document Feeder Powerful software included — easy scanning with intuitive Epson ScanSmart Software3; preview, email, upload and more; automatic file naming and object recognition save time Compatible with most office software — the included TWAIN driver allows for easy connection to most document management software Built-in Nuance® Optical Character Recognition (OCR) — create searchable PDFs and editable Word and Excel files Easy sharing and collaboration — email or upload to popular cloud storage services3 such as Dropbox™, Evernote®, Google Drive™ Intelligent color and image adjustments — auto crop, skew correction, blank page and background removal with Epson Image Processing Technology									
38	Easy to use and set up — Windows® and Mac® compatible	set	23490	134400	0	32999	0	0	0	0
	Rongda RD 3608 Coping Machines: Processing: High-Speed Automatic Digital Scanning/Fully Automatic, Thermal Screening Duplicator System, Original Input Type:Sheets and computer input, Paper Size: Max.A3 297mm×420mm, Min. 100mm×148mm, Print Area: Max. 248mm×350mm, Original Size : Max.B4 297mm×420mm,Min. 100mm×148mm, Original Size :Max.B4 297mm×420mm, Min. 100mm×148mm, Original Thickness :40g/m2-120gm2, Original Mode : Letters or Images, Scanning Resolution: 300×400 dpi, Time of First									
39	Paper Printed: Approx. 40 Seconds (B4)	Set	134390	107700	0	0	0	0	110500	0

40	RISO A2: Printing Image Resolution: 600 dpi x 600 dpi, Print Paper Weight: 46 gsm; 120 gsm, Print Paper Size: Minimum 420 mm x 297 mm, Maximum 624 mm x 432 mm, Printing Area: 596 mm x 425 mm, Paper Supply Capacity: 1,000 sheets (64gsm-80gsm) / Maximum Height 110 mm, Paper Receiving Tray Load Capacity: 1,000 sheets (64gsm-80gsm) / Maximum Height 110 mm, Master-making Time Within: 60 seconds, Print Speed: 60, 80, 100 sheets per minute (three steps variable), Print Position Adjustment Vertical: 15mm, Horizontal: 10mm*1, User Interface: LED panel with Progress Arrow indicators, Functions: Idling, Print speed adjustment, Print density adjustment, Print position adjustment, Confidential mode, Programmed printing (1 type), Custom setting mode, RISO i Quality System, Auto-shut OFF, Auto-process, Proof, Clear job, Double feed check, Paper ejection adjustment, Imposition, 180-degree rotation, Marginless master making, Job settings, Screening type (Grain-touch/Screen-covered), Photo type (Standard/Close-up/Group), Brightness, Contrast, Backlight correction, Edge enhancement, Tone smoothing, Line art style (Grain-touch/Screen-covered/Solid-look), Text style (Bold/Slim), Power Consumption: Approx. 350W (100V) / 320W (220V), (At Ready: Approx. 52W (100V/220V)), Dimensions :When in use: 1,435 (W) x 1,030 (D) x 735 (H) mm, When in storage: 780 (W) x 1,030 (D) x 635 (H) mm, Required Space: 1,665 (W) x 1,940 (D) x 970 (H) mm.	Set	129490	834700	0	0	160000	138499	245000	0
41	USB keyboard	Each	398	940	0	1390	0	450	450	0
42	Wireless keyboard	Each	1149	1490	1200	2100	0	1249	1150	0
43	USB Mouse	Each	219	490	0	290	0	395	270	0
44	Wireless Mouse	Each	849	740	900	800	0	990	750	0
45	Printer USB Cable	Each	239	280	0	340	0	390	350	0
46	VGA to HDMI/USB convertor	Each	6490	1750	900	0	2800	1500	1050	0
47	HDMI to VGA convertor	Each	749	1950	900	0	2800	2650	650	0
48	HDMI cable Converter	per me	439	840	0	0	2800	0	950	0
49	CMOS Battery	Each	45	0	0	0	0	150	55	0
50	Desktop: Dell Optiplex 390	Each	38490	0	0	0	36000	0	5500	0
51	Desktop: Dell Optiplex 3040	Each	38490	0	0	0	36000	0	5500	0
52	Desktop: Dell Optiplex 3050	Each	38490	0	0	0	44000	0	5500	0
53	Desktop: Dell Optiplex 360	Each	38490	0	0	0	0	0	5500	0
54	Desktop: Dell Optiplex 380	Each	38490	0	0	0	0	0	5500	0
55	Desktop: Dell Optiplex 3010	Each	38490	0	0	0	0	0	5500	0
56	Network Toolkits set (Cable Crimper, tester, I/O box puncher)	Each	8490	9400	0	0	0	0	15500	0
57	Network cable CAT 6 305mtr	Roll	5890	5700	8300	7200	0	8399	6450	0
58	RJ-45	Each	12	17	0	0	0	25	11	0
59	Air Blower (to Clean server & Computers)	Each	1890	0	4600	0	3800	3500	1750	0
60	Cat6 Snagless Ethernet Patch Cable	2 mtr	149	0	0	0	0	0	0	0

61	Cat6 Snagless Ethernet Patch Cable	5 mtr	289	0	0	0	0	0	0	0
62	USB3.0 Ethernet adaptor (10/100/1000Mbps)	Each	1490	0	1300	0	0	0	3550	0
63	NIC card (Network/ Ethernet Card 10/100/1000 GB)	Each	1490	0	0	0	0	0	3550	0
64	Factory crimped UTP patch cord cat6 (3 Mtr)	Each	189	0	0	0	0	0	550	0
65	Factory crimped UTP patch cord cat6 (5Mtr)	Each	289	0	0	0	0	0	670	0
66	Factory crimped UTP patch cord cat6 (10Mtr)	Each	898	0	0	0	0	0	1100	0
67	Factory crimped UTP patch cord cat6 (20Mtr)	Each	1789	0	0	0	0	0	1850	0
68	Factory crimped UTP patch cord cat6 (100 Mtr)	Each	3890	0	0	0	0	0	7550	0
69	I/O Box with Complete face plate cat 6	Each	439	0	0	0	0	0	420	0
70	Switch manageable Gigabit (10/100/1000) 16 ports	Each	8990	13400	0	0	0	0	16850	0
71	Switch manageable Gigabit (10/100/1000) 24 ports	Each	18490	18900	0	0	0	0	20650	0
72	USB Console Cable USB to RJ45 Cable Essential Accesory of Cisco, NETGEAR, Ubiquity, LINKSYS, TP-Link Routers/Switches for Laptops in Windows, Mac, Linux (Blue	Each	4890	0	0	0	0	0	0	0
73	<p>Ruckus ZoneFlex R610 - Unleashed - wireless access point Specs & Prices GENERAL Form Factor:external, Power Over Ethernet (PoE):PoE, Authentication Method: Active Directory, RADIUS</p> <p>Height:2 in, Depth: 7.9 in, Manufacturer:Ruckus Wireless</p> <p>NETWORKING</p> <p>CapacityWireless clients: 500, Simultaneous VoIP clients: 30, Frequency Band: 2.4 GHz, 5 GHz, Type:Wireless access point</p> <p>Connectivity Technology:wireless, Data Link Protocol:IEEE 802.11a, IEEE 802.11ac Wave 2, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n</p> <p>Network / Transport Protocol:FTP, FeaturesBeam: Flex+ Smart Antenna Technology, DHCP support, MU-MIMO technology, NAT support, Quality of Service (QoS), Trivial File Transfer Protocol (TFTP) support, auto-sensing per device, auto-uplink (auto MDI/MDI-X), security lock slot (cable lock sold separately),</p> <p>Compliant Standards:IEEE 802.11a, IEEE 802.11ac Wave 2, IEEE 802.11b, IEEE 802.11g, IEEE 802.11i, IEEE 802.11n, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at</p> <p>Wireless Protocol:802.11a/b/g/n/ac Wave 2, Remote Management Protocol:CLI, HTTP, HTTPS, SNMP 1, SNMP 2, SNMP 3, TR-069, Telnet</p> <p>Data Transfer Rate:1300 Mbps, Wi-Fi Bands:2.4 GHz, 5 GHz, Encryption Algorithm:AES, TKIP, WPA2, WPA-PSK, Authentication Method:RADIUS, Active Directory</p>	Each	28490	0	0	0	0	0	0	0
74	Wireless AP : CISCO SYSTEMS 802.11ac Wireless Access Point (WAP371AK9)	Each	18490	0	0	0	0	0	0	0

75	Fiber : Media Converter (10/100/1000 BASE-TXTO 1000 BASE-FX	pair	5890	0	0	0	0	0	3550	0
76	10/100/1000Base-T to 1000Base-BX 20km Single Fiber WDM Media Converter	pair	5890	0	0	0	0	0	35000	0
77	Simplex UPC/SC-UPC/SC fiber patch cord SM 2.0mm, 1 meter	Each	898	0	0	0	0	0	0	0
78	Simplex UPC/SC/FC-LC fiber patch cord SM 2.0mm, 1 meter	Each	898	0	0	0	0	0	0	0
79	Rack mountable, 8 ports Gigabit Ethernet Managed L2 Switch with 2 SFP slots & power cord	Each	2890	6000	0	0	0	0	5500	0
80	Rack mountable, 16 ports Gigabit Ethernet Managed L2 Switch with 2 SFP slots & power cord	Each	18490	13400	0	0	0	0	16850	0
81	Rack mountable, 24 ports Gigabit Ethernet Managed L2 Switch with 4 SFP slots & power cord	Each	19490	18400	0	0	0	0	20650	0
82	Fiber patch code FC-SC	2 mtr	1698	0	0	0	0	0	0	0
83	Fiber patch code LC-SC	2 mtr	1698	0	0	0	0	0	0	0
84	Fiber patch code SC-SC	2 mtr	1698	0	0	0	0	0	0	0
85	Fiber patch code LC-LC	2 mtr	1698	0	0	0	0	0	0	0
86	Gigabit Ethernet KH Mini-GBIC SFP Transceiver-1300nm 1000m scp 21cfr(j) class 1 (SFP Module)	No	8490	0	0	0	0	0	0	0
87	UPS RS 1100	Each	6990	7340	0	7299	7800	0	5250	0
88	APC Back - UPS 650va international version (230V)	Each	3890	3940	0	0	0	0	3250	0
89	APC 1400va back-up UPS 6xIEC sockets	Each	18490	28450	0	0	0	0	0	0
90	UPS 1000	Each	5890	7900	0	7299	13500	0	4850	0
91	APC UPS Battery Backup & Surge Protector with AVR, 1500VA, APC Back-UPS Pro (BX1500M)	Each	18490	34700	0	0	37000	0	92500	0
92	APC 3kva Smart on Line Ups with Inbuilt Battery	Each	64890	69740	0	0	58800	0	165000	0
93	APC 850VA UPS Battery Backup & Surge Protector, APC UPS Back-UPS Pro (BX850M)	Each	4890	7430	0	6700	0	0	7250	0