

Sl.	Item Name & Description	Winner	Quoted Amount (In Nu.)
1	RJ-45	THARLAM INFOTECH AND SOLUTION	10
2	CMOS Battery	THARLAM INFOTECH AND SOLUTION	40
3	HDMI cable	THARLAM INFOTECH AND SOLUTION	155
4	Factory crimped UTP patch cord cat6 (3 Mtr)	THARLAM INFOTECH AND SOLUTION	165
5	Cat6 Snagless Ethernet Patch Cable	B.D Commercial	189
6	USB- Mouse	THARLAM INFOTECH AND SOLUTION	210
7	Printer USB Cable	THARLAM INFOTECH AND SOLUTION	210
8	Factory crimped UTP patch cord cat6 (5Mtr)	THARLAM INFOTECH AND SOLUTION	250
9	Cat6 Snagless Ethernet Patch Cable	B.D Commercial	329
10	Printer Cable 5m	Lamla Enterprise	340
11	16 GB- Pen drive	PANGLUNG ENTERPRISE	375
12	USB-Keybaord	B.D Commercial	379
13	I/O Box with Complete face plate cat 6	THARLAM INFOTECH AND SOLUTION	410
14	32 GB-pen drive	PANGLUNG ENTERPRISE	425
15	Simplex UPC/SC-UPC/SC fiber patch cord SM 2.0mm, 1 meter	YANGKHIL TRADING	500
16	Simplex UPC/SC/FC-LC fiber patch cord SM 2.0mm, 1 meter	YANGKHIL TRADING	500
17	Factory crimped UTP patch cord cat6 (10Mtr)	B.D Commercial	549
18	VGA to HDMI/USB convertor	THARLAM INFOTECH AND SOLUTION	640
19	HDMI to VGA convertor	PANGLUNG ENTERPRISE	640
20	Fiber patch code FC-SC	YANGKHIL TRADING	700
21	Fiber patch code LC-SC	YANGKHIL TRADING	700
22	Fiber patch code SC-SC	YANGKHIL TRADING	700
23	Fiber patch code LC-LC	YANGKHIL TRADING	700
24	Wireless- Mouse	THARLAM INFOTECH AND SOLUTION	730
25	Wireless- Keyboard	Lamla Enterprise	940
26	Factory crimped UTP patch cord cat6 (20Mtr)	B.D Commercial	949
27	128 GB- pen drive	Lamla Enterprise	1040
28	NIC card (Network/ Ethernet Card 10/100/1000 GB)	Lamla Enterprise	1430
29	Pointer-USB Wireless Presenter, RF 2.4GHz Powerpoint Clicker Presentation Remote Control Pen with battery or equivalent	THARLAM INFOTECH AND SOLUTION	1550
30	Air Blower (to Clean server and Computers)	K.B Enterprise	1699
31	USB3.0 Ethernet adaptor (10/100/1000Mbps)	Lamla Enterprise	1800
32	Cartridge for above printer	THARLAM INFOTECH AND SOLUTION	1850
33	Tonner/ cartridge for above printer	B.D Commercial	1890
34	500 GB- Desktop -IDE/SATA (INTERNAL HARD DISK)	PANGLUNG ENTERPRISE	2450

35	Tonner/ cartridge for above printer	THARLAM INFOTECH AND SOLUTION	2550
36	Rack mountable, 8 ports Gigabit Ethernet Managed L2 Switch with 2 SFP slots and power cord	THARLAM INFOTECH AND SOLUTION	2750
37	4 GB- Desktop Memory-RAM	PANGLUNG ENTERPRISE	2800
38	Factory crimped UTP patch cord cat6 (100 Mtr)	Lamla Enterprise	2840
39	4 GB- laptop Memory-RAM	THARLAM INFOTECH AND SOLUTION	2850
40	500 GB - Laptop-SATA (INTERNAL HARD DISK)	PANGLUNG ENTERPRISE	3250
41	Network Toolkits set (Cable Crimper, tester, I/O box puncher)	Lamla Enterprise	3400
42	Media Converter (10/100/1000 BASE-TXTO 1000 BASE-FX	THARLAM INFOTECH AND SOLUTION	3450
43	10/100/1000Base-T to 1000Base-BX 20km Single Fiber WDM Media Converter	B.D Commercial	3890
44	1 TB- Laptop-SATA (INTERNAL HARD DISK)	B.D Commercial	3890
45	1 TB- Desktop -IDE/SATA (INTERNAL HARD DISK)	B.D Commercial	3890
46	256 GB- Desktop -SSD (INTERNAL HARD DISK)	PANGLUNG ENTERPRISE	4000
47	256 GB- Laptop-SSD (INTERNAL HARD DISK)	THARLAM INFOTECH AND SOLUTION	4200
48	8 GB- laptop Memory-RAM	PANGLUNG ENTERPRISE	4240
49	8 GB- Desktop Memory-RAM	PANGLUNG ENTERPRISE	4250
50	1 TB Wired External Hard Disk Drive (HP or Toshiba or equivalent)	THARLAM INFOTECH AND SOLUTION	4400
51	(Desktop- SMPS) Dell Optiplex 380	Lamla Enterprise	4500
52	Switch rack - 6U, Wall mount Switch Rack width glass door lock and key.	THARLAM INFOTECH AND SOLUTION	4650
53	USB Console Cable USB to RJ45 Cable Essential Accesory of Cisco, NETGEAR, Ubiquity, LINKSYS, TP-Link Routers/Switches for Laptops in Windows, Mac, Linux (Blue	THARLAM INFOTECH AND SOLUTION	4700
54	(Desktop- SMPS) Dell Optiplex 3010	Lamla Enterprise	5300
55	Network cable CAT 6 305mtr	Lamla Enterprise	5940
56	2 TB Wired External Hard Disk Drive (HP or Toshiba or equivalent)	PANGLUNG ENTERPRISE	6248
57	Projector- Screen Size Range- 66-inches from 8 feet-107-inches from 12 feet Brightness- 3,000 ANSI Lumens. Computer compatibility- FHD, HD, WXGA, UXGA, SXGA, XGA, SVGA, VGA, Mac Contrast Ratio- 23,000-1- Keystone Correction- Yes, Lens Shift- No 2 x HDMI (1.4a 3D support) + MHL v1.2, Audio Out 3.5mm, 12V trigger, 3D-Sync, USB service Display Technology- Single 0.65” 1080p DC3 DMD chip DLP Technology by Texas Instruments Operating Conditions- 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m with carrying case or equivalent with remote controlinch	THARLAM INFOTECH AND SOLUTION	6450
58	500 GB- Desktop -SSD (INTERNAL HARD DISK)	PANGLUNG ENTERPRISE	6500

59	Switch rack - 9U, Wall mount Switch Rack width glass door lock and key.	THARLAM INFOTECH AND SOLUTION	6600
60	512 TB- Laptop-SSD (INTERNAL HARD DISK)	PANGLUNG ENTERPRISE	6700
61	(Desktop- SMPS) Dell Optiplex 390	PANGLUNG ENTERPRISE	7400
62	(Desktop- SMPS) Dell Optiplex 3040	PANGLUNG ENTERPRISE	7400
63	(Desktop- SMPS) Dell Optiplex 3050	PANGLUNG ENTERPRISE	7400
64	(Desktop- SMPS) Dell Optiplex 360	PANGLUNG ENTERPRISE	7400
65	Projector Screen- Portable 100inch 16-9 Manual Foldable Tripod Stand 87inch x 49inch White Projector Surface Screen 4-side Black Borders w/ 160 Degree (Reliable tripod to adjust height and housing position Sleek design, scratch resistant, white color- Screen surface could wipe with mild soap or water 4-side black masking borders increase picture focus and contrast) or equivalent	B.D Commercial	7990
66	Projector Screen- 70-inch Diagonal, 16-9 Aspect Ratio. Leg Size. Silver Aluminum Frame. Screen Material- CineWhite, 1.1 Gain. 4K Ultra HD and Active 3D Projection Ready. Features 160 degree viewing angle with fully black backed front projection screen material. Mildew resistant, and easy to clean with soap and water. Compatible with Standard, Short Throw, UHD/HD projectors. Assembles in minutes without the use of tools! Lightweight aluminum square tube construction easily transports with included padded carrying bag. Screen is mildly weather resistant, but should not be left exposed to the elements for extended periods of time. For maximum longevity, disassemble screen and store away indoors. Features a fully tensioned, snap button frame that ensures a flat projection. Includes- single-piece aluminum frame with detachable legs, screen material, carrying bag, ground stakes, rigging cord, and support rings.	B.D Commercial	8490
67	Switch manageable Gigabit (10/100/1000) 16 ports	THARLAM INFOTECH AND SOLUTION	8550
68	One Touch SSD 500GB External Solid State Drive Portable – USB-C USB 3.0 for PC Laptop and Mac with carry case	PANGLUNG ENTERPRISE	8750
69	Smart UPS- Colour - BLACK Form Factor- RACK / TOWER Item Height 43.2 Centimeters Item Width 48.3 Centimeters Item Weight 11.5 Kg Product Dimensions 8.5 x 48.3 x 43.2 cm Wattage 2400 Watts Included Components - Basic UPS Signalling RS-232 Cable, Installation guide, User Manual(APC or equivalent)	Lamla Enterprise	8900
70	Gigabit Ethernet KH Mini-GBIC SFP Transceiver- 1300nm 1000m scp 21cfr(j) class 1 (SFP Module)	B.D Commercial	9490

71	Switch rack - 12U, Wall mount Switch Rack width glass door lock and key.	THARLAM INFOTECH AND SOLUTION	9500
72	Rack mountable, 24 ports Gigabit Ethernet Managed L2 Switch with 4 SFP slots and power cord	Lamla Enterprise	13400
73	Switch manageable Gigabit (10/100/1000) 24 ports	Gyelyong Enterprises	15800
74	CISCO SYSTEMS 802.11ac Wireless Access Point (WAP371AK9)	THARLAM INFOTECH AND SOLUTION	17500
75	Rack mountable, 16 ports Gigabit Ethernet Managed L2 Switch with 2 SFP slots and power cord	THARLAM INFOTECH AND SOLUTION	17500
76	<p>Scanner- Fastest scan speeds in its class1 &#8212; up to 25 ppm/50 ipm2- Single-Step Technology captures both sides in one pass
Versatile scanning &#8212; scan 2-sided documents, receipts, business cards, plastic IDs and more
Convenient portability &#8212; use AC power, or if there is no outlet, USB power4 from your computer
Quick batch scanning for stacks of paper &#8212; 20-page Auto Document Feeder
Powerful software included &#8212; easy scanning with intuitive Epson ScanSmart Software3- preview, email, upload and more- automatic file naming and object recognition save time
Compatible with most office software &#8212; the included TWAIN driver allows for easy connection to most document management software
Built-in Nuance&#174; Optical Character Recognition (OCR) &#8212; create searchable PDFs and editable Word and Excel files
Easy sharing and collaboration &#8212; email or upload to popular cloud storage services3 such as Dropbox&#8482;, Evernote&#174;, Google Drive&#8482;
Intelligent color and image adjustments &#8212; auto crop, skew correction, blank page and background removal with Epson Image Processing Technology
Easy to use and set up &#8212; Windows&#174; and Mac&#174; compatible</p>	Lamla Enterprise	20300
77	HP LaserJet Pro M404dn, 2 GB available hard disk space, USB port and drivers cd and cartridge	Lamla Enterprise	21430

78	<p>Ruckus ZoneFlex R610 - Unleashed - wireless access point Specs and Prices- GENERAL Form Factor-external, Power Over Ethernet (PoE)-PoE, Authentication Method- Active Directory, RADIUS Height-2 in, Depth- 7.9 in, Manufacturer-Ruckus Wireless NETWORKING CapacityWireless clients- 500, Simultaneous VoIP clients- 30, Frequency Band- 2.4 GHz, 5 GHz, Type-Wireless access point Connectivity Technology-wireless, Data Link Protocol-IEEE 802.11a, IEEE 802.11ac Wave 2, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n Network / Transport Protocol-FTP, FeaturesBeam- Flex+ Smart Antenna Technology, DHCP support, MU-MIMO technology, NAT support, Quality of Service (QoS), Trivial File Transfer Protocol (TFTP) support, auto-sensing per device, auto-uplink (auto MDI/MDI-X), security lock slot (cable lock sold separately), Compliant Standards-IEEE 802.11a, IEEE 802.11ac Wave 2, IEEE 802.11b, IEEE 802.11g, IEEE 802.11i, IEEE 802.11n, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at Wireless Protocol- 802.11a/b/g/n/ac Wave 2, Remote Management Protocol-CLI, HTTP, HTTPS, SNMP 1, SNMP 2, SNMP 3, TR-069, Telnet Data Transfer Rate-1300 Mbps, Wi-Fi Bands-2.4 GHz, 5 GHz, Encryption Algorithm-AES, TKIP, WPA2, WPA-PSK, Authentication Method-RADIUS, Active Directory Power Over Ethernet (PoE)PoE,</p>	THARLAM INFOTECH AND SOLUTION	27500
79	<p>Multi function Printer ((Print/scan/copy/Fax) with ethernet or wifi features and must support all windows 7/8/10-HP Laserjet Pro MFP M226dw Printer (Print, Scan, Copy, Fax, Wireless, Duplex, ePrint) with user manual, cartridge and drivers cd (HP or equivalent)</p>	Himalayan Infotech	28200
80	<p>Projector- Specify high end projector with wireless, hdmi and vga functionality with carrying case or equivalent with remote control</p>	B.D Commercial	29490
81	<p>Color Printer- HP Latest HP Color LaserJet Pro MFP M281fdw Wireless Multifunction All in One (Print, Photocopy, Scan, Fax) printer Plus a Free Printer Cable</p>	THARLAM INFOTECH AND SOLUTION	31800
82	<p>Laptop Mid End-11th Generation Intel-Cor3, i5-1135G7 Processor, Windows 10 Pro English, Intel, Iris, Xe Graphics with shared graphics memory, 8GB, onboard, LPDDR4x, 3200MHz, 512GB M.2 PCIe NVMe Solid State Drive, 13.3-in. display</p>	PANGLUNG ENTERPRISE	38000
83	<p>Heavy Duty Printer with ethernet connectivity and must support all windows 7/8/10- HP Laserjet Enterprise M608dn with user manual, cartridge and drivers cd</p>	Himalayan Infotech	42300

84	<p>Desktop Mid End-Processor-9th Gen Intel- Core- i5-9400 (6-Core, 9MB Cache, up to 4.1GHz with Intel, Turbo Boost Technology)
Operating System-Windows 10 Professional or latest with product key
Graphics Card-Intel- UHD Graphics 630 with shared graphics memory
Memory-8GB 1x8GB DDR4 2666MHz
Hard drive-3.5inch 1TB 7200RPM SATA Hard Drive
Front IO ports-2 USB 3.0,1 Universal Audio Jack,1 5-1 MCR
Rear IO ports-4 USB 2.0, 1 Gigabit Ethernet,1 HDMI,1 VGA
1 3-stack audio jacks supporting 5.1 surround sound
Optical Drive-Tray load DVD Drive (Reads and Writes to DVD/CD)
Slots-1 SD card reader, 1 Security Cable Slot
Dimension and weight-Height-290mm (11.42inch) x Width- 92.6mm (3.65inch) x Depth- 293mm (11.54inch)
Stating at Weight-4.81kg (10.60lbs)i
Wireless-802.11bgn + Bluetooth 4.0, 1x1
Power-240W PSU (APFC, EPA Bronze)</p>	PANGLUNG ENTERPRISE	44000
85	<p>Desktop High End-OPERATING SYSTEM-Windows 10 Home 64, PROCESSOR-Intel Core i7-11700 (2.5 GHz base frequency, up to 4.9 GHz with Intel Turbo Boost Technology, 16 MB L3 cache, 8 cores) [6,7], GRAPHICS-Integrated- Intel Iris X Graphics, MEMORY-16 GB DDR4-2933 MHz RAM (2 x 8 GB), MEMORY SLOTS- 2 DIMM
STORAGE- 256 GB PCIe NVMe M.2 SSD, SECONDARY STORAGE-2 TB 7200 rpm SATA HDD, OPTICAL DRIVE-DVD-Writer
MEMORY CARD DEVICE-HP 3-in-1 memory card reader, NETWORK INTERFACE-Integrated 10/100/1000 GbE LAN, WIRELESS TECHNOLOGY-Realtek RTL8822CE 802.11a/b/g/n/ac (2x2) Wi-Fi- and Bluetooth-5 combo, POWER SUPPLY -310 W Gold efficiency power supply, EXTERNAL I/O PORTS-Front-1 SuperSpeed USB Type-C-5Gbps signaling rate-2 SuperSpeed USB Type-A 10Gbps signaling rate- 2 SuperSpeed USB Type-A 5Gbps signaling rate-1 headphone/microphone combo
Rear-4 USB 2.0 Type-A- 1 audio-in- 1 audio-out- 1 microphone- 1 RJ-45, EXPANSION SLOTS- 2 M.2- 1 PCIe x16- 1 PCIe x1, VIDEO CONNECTOR-1 VGA- 1 HDMI-out 1.4b
AUDIO- 5.1 surround sound, KEYBOARD-USB black wired keyboard and mouse combo
DIMENSIONS (W X D X H) -6.12 x 11.97 x 13.28 in</p>	PANGLUNG ENTERPRISE	64000

86	Smart UPS- Colour - BLACK Form Factor- RACK / TOWER Item Height 43.2 Centimeters Item Width 48.3 Centimeters Item Weight 11.5 Kg Product Dimensions 8.5 x 48.3 x 43.2 cm Wattage 2400 Watts Included Components - Basic UPS Signalling RS-232 Cable, Installation guide, User Manual(APC or equivalent)	Lamla Enterprise	68400
87	Sharp Digital Heavy Duty PhotoCopier plus Automatic Document Feeder - AR-6020 - Black and White Printer- Print, Copy, Scan Pages per minute- 20 B/W Paper capacity- Std 350 Max 1850 sheets Colour Scanner Standard SPLC technology for faster data transfer and enhanced throughput Optional network printing Optional 100 sheet Reversing Single Pass Feeder for better job efficiency Energy Star certified	B.D Commercial	68490
88	Heavy Duty Photocopier machine- bizhub C659	THARLAM INFOTECH AND SOLUTION	68500
89	Laptop High End-11th Generation Intel, Core, i7-1165G7 Processor Windows 10 Home English Intel, Iris Xe Graphics 16GB 4267MHz LPDDR4x Memory Onboard 512GB M.2 PCIe NVMe Solid State Drive 13.3-in. display	Himalayan Infotech	78600
90	MacBook Air- 13.3-inch Retina display, Up to 4-core Intel Core i7 processor, Up to 16GB memory, Up to 2TB storage, Up to 11 hours battery life, Touch ID, Backlit Magic Keyboard	B.D Commercial	98990
91	Rongda RD 3608 Coping Machines - Processing- High-Speed Automatic Digital Scanning/Fully Automatic, Thermal Screening Duplicator System, Original Input Type-Sheets and computer input, Paper Size- Max.A3 297mm×420mm, Min. 100mm×148mm, Print Area- Max. 248mm×350mm, Original Size - Max.B4 297mm×420mm,Min. 100mm×148mm, Original Size -Max.B4 297mm×420mm, Min. 100mm×148mm, Original Thickness -40g/m2- 120gm2, Original Mode - Letters or Images, Scanning Resolution- 300×400 dpi, Time of First Paper Printed- Approx. 40 Seconds (B4)	Lamla Enterprise	108740
92	Smart UPS 5000V A RM 2U LCD(120V)	Lamla Enterprise	127340
93	MacBook Pro 13- 13.3-inch Retina display, Up to 4-core Intel Core i7 processor, Up to 32GB memory, Up to 4TB storage, Up to 10 hours battery life, Touch Bar and Touch ID, Backlit Magic Keyboard	B.D Commercial	129490
94	APC Smart UPS 5000V A RM 2U LCD(120V)	Lamla Enterprise	129700

95	<p>RISO A2- Printing Image Resolution- 600 dpi x 600 dpi, Print Paper Weight- 46 &#8211; 120 gsm, Print Paper Size- Minimum 420 mm x 297 mm, Maximum 624 mm x 432 mm, Printing Area- 596 mm x 425 mm, Paper Supply Capacity- 1,000 sheets (64gsm-80gsm) / Maximum Height 110 mm, Paper Receiving Tray Load Capacity- 1,000 sheets (64gsm-80gsm) / Maximum Height 110 mm, Master-making Time Within- 60 seconds, Print Speed- 60, 80, 100 sheets per minute (three steps variable), Print Position Adjustment Vertical- 15mm, Horizontal- 10mmx1, User Interface- LED panel with Progress Arrow indicators, Functions- Idling, Print speed adjustment, Print density adjustment, Print position adjustment, Confidential mode, Programmed printing (1 type), Custom setting mode, RISO i Quality System, Auto-shut OFF, Auto-process, Proof, Clear job, Double feed check, Paper ejection adjustment, Imposition, 180-degree rotation, Marginless master making, Job settings, Screening type (Grain-touch/Screen-covered), Photo type (Standard/Close-up/Group), Brightness, Contrast, Backlight correction, Edge enhancement, Tone smoothing, Line art style (Grain-touch/Screen-covered/Solid-look), Text style (Bold/Slim), Power Consumption- Approx. 350W (100V) / 320W (220V), (At Ready- Approx. 52W (100V/220V), Dimensions -When in use- 1,435 (W) x 1,030 (D) x 735 (H) mm, When in storage- 780 (W) x 1,030 (D) x 635 (H) mm, Required Space- 1,665 (W) x 1,940 (D) x 970 (H) mm.</p>	B.D Commercial	149390
96	<p>MacBook Pro 16- 16-inch Retina display, Up to 8-core Intel Core i9 processor, Up to 64GB memory, Up to 8TB storage, Up to 11 hours battery life, Touch Bar and Touch ID, Backlit Magic Keyboard</p>	B.D Commercial	198490